

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("5958544" "5665478" "6177208").pn.	USPAT	OR	ON	2005/12/30 12:04
L2	98	428/836.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:05
L3	535	(USUKI near1 KAZUYUKI).in. (MORIWAKI near1 KENICHI).in. (KATAYAMA near1 KAZUTOSHI).in. in. (NAGAO near1 MAKOTO).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:06
L4	57	3 and (Ru ruthenium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:18
L5	34	4 and (oxide "O?sub.\$2" oxygen SiO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L6	69	2 and (polymer plastic resin poly\$1carbonate\$1 poly\$1ethylene\$1 cellulose)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:26
L7	25	6 and (Ru ruthenium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L8	228387	(magnetic adj (recording medium media tape disk disc ribbon)).ti,ab, clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:23
L9	1068	8 and honda.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:23
L10	50	9 and (perpendicular and longitudinal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:24

L11	11200	8 and ((polymer plastic resin poly\$1carbonate\$1 poly\$1ethylene\$1 cellulose) with (substrate support))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:26
L12	3954	8 and (Ru ruthenium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L13	15513	8 and ((oxide "O?sub.\$2" oxygen SiO) with (magnetic recording ferromagnetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:27
L14	266	11 and 12 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:28
L15	103	14 and @PD<"20010914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:28
L16	97	14 and @PD<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:40
L17	15	2 and ((Ru ruthenium) near4 (under under\$1layer\$1 intermediate onset primer seed seed\$1layer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:41
L18	4	17 not (4 7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 12:41


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
Results for "(oxide<in>metadata) <and> (magnetic<in>metadata))<and> ((ru <or>g..." [e-mail](#)

Your search matched 10 of 1286976 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

((oxide<in>metadata) <and> (magnetic<in>metadata))<and> ((ru <or> ruthenium >>

☐ Check to search only within this results setDisplay Format: ☐ Citation ☒ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Ru/Ru-oxide interlayer for CoCrPtO perpendicular recording media**
 Kwon, U.; Sinclair, R.; Velu, E.M.T.; Malhotra, S.; Bertero, G.;
 Magnetics Conference, 2005. INTERMAG Asia 2005. Digests of the IEEE Inter-
 4-8 April 2005 Page(s):1579 - 1580
[AbstractPlus](#) | [Full Text: PDF\(72 KB\)](#) IEEE CNF
- ☐ 2. **Ru/Ru-oxide interlayers for CoCrPtO perpendicular recording media**
 Unoh Kwon, Sinclair, R.; Velu, E.M.T.; Malhoira, S.; Bertero, G.;
 Magnetics, IEEE Transactions on
 Volume 41, Issue 10, Oct. 2005 Page(s):3193 - 3195
 Digital Object Identifier 10.1109/TMAG.2005.856261
[AbstractPlus](#) | [Full Text: PDF\(792 KB\)](#) IEEE JNL
- ☐ 3. **Characteristics of spin-valve films with non-magnetic oxide layers for spin**
 Mizuguchi, T.; Kano, H.;
 Magnetics, IEEE Transactions on
 Volume 37, Issue 4, Part 1, July 2001 Page(s):1742 - 1744
 Digital Object Identifier 10.1109/20.960955
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(61 KB\)](#) IEEE JNL
- ☐ 4. **Fully integrated 64 Kb MRAM with novel reference cell scheme**
 Jeong, H.S.; Jeong, G.T.; Koh, G.H.; Song, I.H.; Park, W.J.; Kim, T.W.; Jeong,
 Y.N.; Ahn, S.J.; Kim, H.J.; Hong, J.S.; Jeong, W.C.; Lee, S.H.; Park, J.H.; Cho,
 Song, S.H.; Park, S.O.; Jeong, U.I.; Kim, K.;
 Electron Devices Meeting, 2002. IEDM '02. Digest. International
 3-11 Dec. 2002 Page(s):551 - 554
 Digital Object Identifier 10.1109/IEDM.2002.1175901
[AbstractPlus](#) | [Full Text: PDF\(359 KB\)](#) IEEE CNF
- ☐ 5. **CoPtCr-SiO₂/granular media for high-density perpendicular recording**
 Uwazumi, H.; Enomoto, K.; Sakai, Y.; Takenori, S.; Oikawa, T.; Watanabe, S.;
 Magnetics, IEEE Transactions on
 Volume 39, Issue 4, Part 1, July 2003 Page(s):1914 - 1918
 Digital Object Identifier 10.1109/TMAG.2003.813778
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(372 KB\)](#) IEEE JNL
- ☐ 6. **Great enhancement of the current induced magnetization switching effect**

[Scitation Home](#) | [AIP Journal Center](#) | [Subscriptions](#) | [Article Purchases](#) | [RSS Feeds](#) | [E-mail Alerts](#) | [Feed:](#)

Journal of Applied Physics

[JAP Home](#) | [About JAP](#) | [Authors](#) | [Librarians](#) | [Permissions](#) | [Terms of Use](#) | [Volume:](#) [Page/Article:](#) [Retrieve](#) | [Search](#)

Search All Issues: Results List

[\[New Search\]](#) [\[General Search Help\]](#)

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)

[1 | 2 | 3 | Next 25]

You were searching for : (((oxide) <and>(magnetic)) <and>((ru OR ruthenium)))

You found 56 out of 90761 (56 returned) Documents 1 - 25 listed on this page

Refine your query if desired:

AND in **Abstract/Title/Keywords**

Results Sorting Options

Show Most Recent First

Options for selected Article(s) **562, 572, 4086**

Check Article(s) then ... ?

Select up to 20 articles at a time.

1. ☐ **Structural characterization of nano-oxide layers in PtMn based specular spin valves**
 —Min Zhou, Lifan Chen, Zhitao Diao, Chang-Man Park, and Yiming Huai
 J. Appl. Phys. 97, 10N706 (2005) Full Text: [[HTML](#) [PDF \(618 kB\)](#) [GZipped PS](#)] [Order](#)
2. ☐ **Signal-to-media-noise ratio improvement of CoCrPt-SiO₂ granular perpendicular media by stacked Ru**
 —Ryoichi Mukai, Takuya Uzumaki, and Aisushi Tanaka
 J. Appl. Phys. 97, 10N119 (2005) Full Text: [[HTML](#) [PDF \(762 kB\)](#) [GZipped PS](#)] [Order](#)
3. ☐ **Effect of MgO and Al₂O₃ on the microstructure and magnetic properties of CoCrPt-oxide perpendicular media**
 —S. H. Park, D. H. Hong, and T. D. Lee
 J. Appl. Phys. 97, 10N106 (2005) Full Text: [[HTML](#) [PDF \(1049 kB\)](#) [GZipped PS](#)] [Order](#)
4. ☐ **Kerr measurements on single-domain SrRuO₃ thin films**
 —G. Herranz, N. Dix, F. Sánchez, B. Martínez, J. Fontcuberta, M. V. García-Cuenca, C. Ferrater, M. Varela, D. and A. R. Fert
 J. Appl. Phys. 97, 10M321 (2005) Full Text: [[HTML](#) [PDF \(218 kB\)](#) [GZipped PS](#)] [Order](#)
5. ☐ **Giant magnetoresistive structures based on CrO₂ with epitaxial RuO₂ as the spacer layer**
 —G. X. Miao, A. Gupta, H. Sims, W. H. Butler, S. Ghosh, and Gang Xiao
 J. Appl. Phys. 97, 10C924 (2005) Full Text: [[HTML](#) [PDF \(190 kB\)](#) [GZipped PS](#)] [Order](#)
6. ☐ **High pressure high temperature synthesis and magnetization of magneto-superconducting RuSr₂(LnCr (Ru-1232) compounds (Ln=Y and Dy)**

[Scitation Home](#) | [AIP Journal Center](#) | [Subscriptions](#) | [Article Purchases](#) | [RSS Feeds](#) | [E-mail Alerts](#) | [Feed:](#)

Applied Physics Letters

[APL Home](#) | [About APL](#) | [Authors](#) | [Librarians](#) | [Permissions](#) | [Terms of Use](#) | [Volume:](#) [Page/Article:](#) [Retrieve](#) | [Se](#)

Search All Issues: Results List

[\[New Search\]](#) [\[General Search Help\]](#)

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)

You were searching for : **{{(oxide) <and>(magnetic)) <and>((ru <or> ruthenium))}}**

You found 19 out of 62705 (19 returned) Documents 1 - 19 listed on this page

Options For selected Articles

Check Article(s) then ...

Select up to 20 articles at a time.

1.  **Impact of Ru doping in bilayered manganese oxide $\text{La}_{1.2}\text{Sr}_{1.8}\text{Mn}_2\text{O}_7$**
 —Y. Onose, J. P. He, Y. Kaneko, T. Arima, and Y. Tokura
 Appl. Phys. Lett. **86**, 242502 (2005) Full Text: [[HTML](#) [PDF \(72 kB\)](#) [GZipped PS](#)] Order
2.  **Ge/Si quantum-dot metal-oxide-semiconductor field-effect transistor**
 —A. I. Yakimov, A. V. Dvurechenskii, V. V. Kirienko, and A. I. Nikiforov
 Appl. Phys. Lett. **80**, 4783 (2002) Full Text: [[HTML](#) [PDF \(119 kB\)](#) [GZipped PS](#)] Order
3.  **Effects of oxide seed and cap layers on magnetic properties of a synthetic spin valve**
 —Tsann Lin and Daniele Mauri
 Appl. Phys. Lett. **78**, 2181 (2001) Full Text: [[HTML](#) [PDF \(75 kB\)](#) [GZipped PS](#)] Order
4.  **Strain modification of epitaxial perovskite oxide thin films using structural transitions of ferroelectric B substrate**
 —M. K. Lee, T. K. Nath, C. B. Eom, M. C. Smoak, and F. Tsui
 Appl. Phys. Lett. **77**, 3547 (2000) Full Text: [[HTML](#) [PDF \(65 kB\)](#) [GZipped PS](#)] Order
5.  **Assisted tunneling in ferromagnetic junctions and half-metallic oxides**
 —A. M. Bratkovsky
 Appl. Phys. Lett. **72**, 2334 (1998) Full Text: [[HTML](#) [PDF \(103 kB\)](#) [GZipped PS](#)] Order
6.  **Magnetoresistance of epitaxial thin films of ferromagnetic metallic oxide SrRuO_3 with different domain**
 —D. B. Kacedon, R. A. Rao, and C. B. Eom
 Appl. Phys. Lett. **71**, 1724 (1997) Full Text: [[PDF \(92 kB\)](#) [GZipped PS](#)] Order
7.  **Growth mechanisms of epitaxial metallic oxide SrRuO_3 thin films studied by scanning tunneling micros**
 —R. A. Rao, Q. Gan, and C. B. Eom
 Appl. Phys. Lett. **71**, 1171 (1997) Full Text: [[PDF \(130 kB\)](#) [GZipped PS](#)] Order
8.  **Epitaxial SrRuO_3 thin films on (001) SrTiO_3**



SCIENCE @ DIRECT

Register or Login: Password: [Athens/Institution Log](#)
[Home](#)
[Search](#)
[Journals](#)
[Books](#)
[Abstract Databases](#)
[My Profile](#)
[Alerts](#)
[Help](#)Quick Search: within [All Full-text Sources](#) [Search Tips](#)

results 1 ~ 85

85 Articles Found

TITLE-ABSTR-KEY(magnetic AND oxide) and TITLE-ABSTR-KEY((ru OR ruthenium))

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)
[Article List](#)
[Partial Abstracts](#)
[Full Abstracts](#)

Sort By: [Date](#)

1. **Influence of ruthenium ions on the precipitation of α -FeOOH, α -Fe₂O₃ and Fe₃O₄ in highly alkaline media** • ARTICLE
Journal of Alloys and Compounds, In Press, Corrected Proof, Available online 27 October 2005,
 Stjepko Krehula and Svetozar Musić
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(741 K\)](#)

2. **Observation of spin reorientation in layered manganites La_{1.2}Sr_{1.8}(Mn_{1-y}Ru_y)₂O₇ (0.0 ≤ y ≤ 0.2) by Lorentz transmission electron microscopy** • ARTICLE
Journal of Magnetism and Magnetic Materials, In Press, Corrected Proof, Available online 21 October 2005,
 X.Z. Yu, M. Uchida, Y. Onose, J.P. He, Y. Kaneko, T. Asaka, K. Kimoto, Y. Matsui, T. Arima and Y. Tokura
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(330 K\)](#)

3. **Epitaxial growth of ruthenium dioxide films by chemical vapor deposition and its comparison with similarly grown chromium dioxide films** • ARTICLE
Thin Solid Films, Volume 478, Issues 1-2, 1 May 2005, Pages 159-163
 G.X. Miao, A. Gupta, Gang Xiao and A. Anguelouch
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(525 K\)](#)

4. **Modification of TiO₂ semiconductor with molecules bearing functional phosphonic groups: a ³¹P solid state NMR study** • ARTICLE
Journal of Materials Processing Technology, Volume 161, Issues 1-2, 10 April 2005, Pages 276-281
 P. Falaras, I.M. Arabatzis, T. Stergiopoulos, G. Papavassiliou and M. Karagianni
[Abstract](#)

5. **Flux growth and physical properties of pyrochlore Pb₂Ru₂O_{6.5} single crystals** • ARTICLE
Journal of Crystal Growth, Volume 271, Issues 3-4, 15 November 2004, Pages 445-449
 T. Akazawa, Y. Inaguma, T. Katsumata, K. Hiraki and T. Takahashi

Results for Search Question:

magnetic recording AND (oxide or oxygen) AND (ru or ruthenium) AND (under OR underlayer OR intermediate OR primer OR seed OR seedlayer)

110 answers in [CAplus](#)

0 answers in [CEABA-VTB](#)

6 answers in [COMPENDEX](#)

Error searching in [ENERGY](#)

9 answers in [INSPEC](#)

7 answers in [PASCAL](#)

3 answers in [SCISEARCH](#)

135 total hits

[\[Hide Database Info.\]](#)

Too many answers?

[Refine Your Search](#)

[Show Duplicates](#)

	Titles from CAplus in Most Recent Order Best Match Order
1	Method for forming a magnetic tunneling junction MRAM device and a tunneling magnetoresistive read head [\$4.40]
2	Soft magnetic thin films with high magnetization, their manufacture, and magnetic heads using them [\$4.40]
3	Granular thin film, perpendicular magnetic recording medium employing granular thin film, and magnetic recording apparatus [\$4.40]
4	Production of vertical magnetic recording media, and magnetic recording apparatus [\$4.40]
5	Interlayers for perpendicular recording media [\$4.40]
6	Thermally isolated granular media for heat assisted magnetic recording [\$4.40]
7	Vertical magnetic recording materials having granular structures and method for their manufacture [\$4.40]
8	High-density magnetic recording materials [\$4.40]
9	Perpendicular magnetic recording medium and a method for manufacturing the same [\$4.40]
10	Perpendicular magnetic recording media and magnetic storage apparatus using the same [\$4.40]
11	Perpendicular magnetic recording disks and apparatus [\$4.40]
12	High-performance perpendicular magnetic recording media with good heat resistance and recording apparatus therewith [\$4.40]
13	Signal-to-media-noise ratio improvement of CoCrPt-SiO ₂ granular perpendicular media by stacked Ru underlayer [\$4.40]
14	Effect of MgO and Al ₂ O ₃ on the microstructure and magnetic properties of CoCrPt-oxide perpendicular recording media [\$4.40]
15	Perpendicular magnetic recording medium, manufacturing method therefor, and magnetic read/write apparatus using the same [\$4.40]
16	Magnetic recording medium [\$4.40]
17	Perpendicular magnetic recording medium and manufacturing of the same [\$4.40]
18	Magnetic tapes with CoNiPtO-type magnetic films for high-density recording [\$4.40]